

PANASONIC NEW DOMESTIC AIR TO AIR HEAT PUMP LIST PRICE (4/2014)

Bulgaria



| Models | Cooling Capacity | Heating Capacity | Energy Class | | Indoor Unit type | Picture | Outdoor Unit type | Цена в лв. без ДДС | Цена в лв. с ДДС |
|---|--|------------------|--------------|--------------|--------------------------------|----------------|-------------------|--------------------|------------------|
| | | | Cooling SEER | Heating SCOP | | | | | |
| UE BASIC INVERTER; Heating down to -10°C; Cooling down to +5°C | | | | | | | | | |
| UE9QKE | 0,85-3 kW | 0,80-4,10 kW | A+ | A | CS-UE9QKE | | CU-UE9QKE | 915.83 лв | 1 099.00 лв |
| UE12QKE | 0,85-3,9 kW | 0,80-5,10 kW | A+ | A | CS-UE12QKE | | CU-UE12QKE | 999.17 лв | 1 199.00 лв |
| UE18QKE | 0,98-5,6kW | 0,98-7,70 kW | A++ | A+ | CS-UE18QKE | | CU-UE18QKE | 1 582.50 лв | 1 899.00 лв |
| RE INVERTER; Heating down to -15°C; Cooling down to -10°C | | | | | | | | | |
| RE9QKE | 0,85-3 kW | 0,8-4,1 kW | A++ | A+ | CS-RE9QKE | | CU-RE9QKE | 999.17 лв | 1 199.00 лв |
| RE12QKE | 0,85-3,9 kW | 0,8-5,1 kW | A++ | A+ | CS-RE12QKE | | CU-RE12QKE | 1 082.50 лв | 1 299.00 лв |
| RE15QKE | 0,85-4,6 kW | 0,8-6,8 kW | A+ | A | CS-RE15QKE | | CU-RE15QKE | 1 582.50 лв | 1 899.00 лв |
| RE18QKE | 0,98-6 kW | 0,98-8 kW | A++ | A+ | CS-RE18QKE | | CU-RE18QKE | 1 915.83 лв | 2 299.00 лв |
| RE24QKE | 0,98-8,1 kW | 0,98-9,9 kW | A+ | A | CS-RE24QKE | | CU-RE24QKE | 2 807.50 лв | 3 369.00 лв |
| PKEA INVERTER FOR TECHNICAL AND SERVER ROOMS - WHITE; Heating down to -15°C; Cooling down to -15°C WITH WIRED REMCON | | | | | | | | | |
| E9PKEA | 0,85-3 kW | 0,85-5,4 kW | A++ | A+ | CS-E9PKEA | | CU-E9PKEA | 1 415.83 лв | 1 699.00 лв |
| E12PKEA | 0,85-4 kW | 0,85-6,6 kW | A++ | A+ | CS-E12PKEA | | CU-E12PKEA | 1 665.83 лв | 1 999.00 лв |
| E15PKEA | 0,98-5 kW | 0,98-7,1kW | A++ | A | CS-E15PKEA | | CU-E15PKEA | 2 140.83 лв | 2 569.00 лв |
| E18PKEA | 0,98-6 kW | 0,98-8 kW | A++ | A+ | CS-E18PKEA | | CU-E18PKEA | 2 382.50 лв | 2 859.00 лв |
| ETHEREA INVERTER PLUS - SILVER - NANO-E filter; Heating down to -15°C; Cooling down to -10°C | | | | | | | | | |
| XE7QKE | 0,75-2,4 kW | 0,75-4 kW | A++ | A+ | CS-XE7QKEW | | CU-E7QKE | 1 207.50 лв | 1 449.00 лв |
| XE9QKE | 0,85-3 kW | 0,85-5 kW | A++ | A++ | CS-XE9QKEW | | CU-E9QKE | 1 249.17 лв | 1 499.00 лв |
| XE12QKE | 0,85-4 kW | 0,85-6 kW | A++ | A++ | CS-XE12QKEW | | CU-E12QKE | 1 415.83 лв | 1 699.00 лв |
| XE18QKE | 0,98-6 kW | 0,98-8 kW | A++ | A+ | CS-XE18QKEW | | CU-E18QKE | 2 040.83 лв | 2 449.00 лв |
| ETHEREA INVERTER PLUS - WHITE - NANO-E filter; Heating down to -15°C; Cooling down to -10°C | | | | | | | | | |
| E7QKE | 0,75-2,4 kW | 0,70-4 kW | A++ | A+ | CS-E7QKEW | | CU-E7QKE | 1 165.83 лв | 1 399.00 лв |
| E9QKE | 0,85-3 kW | 0,85-5 kW | A++ | A++ | CS-E9QKEW | | CU-E9QKE | 1 207.50 лв | 1 449.00 лв |
| E12QKE | 0,85-4 kW | 0,80-6 kW | A++ | A++ | CS-E12QKEW | | CU-E12QKE | 1 374.17 лв | 1 649.00 лв |
| E15QKE | 0,85-5 kW | 0,80-6,8 kW | A+ | A+ | CS-E15QKEW | | CU-E15QKE | 1 749.17 лв | 2 099.00 лв |
| E18QKE | 0,98-6 kW | 0,98-8 kW | A++ | A+ | CS-E18QKEW | | CU-E18QKE | 1 999.17 лв | 2 399.00 лв |
| E21QKE | 0,98 -7,1 kW | 0,98-8,5 kW | A++ | A+ | CS-E21QKEW | | CU-E21QKE | 2 249.17 лв | 2 699.00 лв |
| E24QKE | 0,98-8,1 kW | 0,98-9,9 kW | A++ | A | CS-E24QKEW | | CU-E24QKE | 2 915.83 лв | 3 499.00 лв |
| E28QKE | 0,98-8,6 kW | 0,98-11 kW | A+ | A | CS-E28QKES | | CU-E28QKE | 3 915.83 лв | 4 699.00 лв |
| VE FLAGSHIP INVERTER PLUS - NORDIC NON STOP HEATING; Heating down to -25°C; Cooling down to -10°C | | | | | | | | | |
| VE9NKE | 0,6-3 kW | 0,6-7,7 kW | A+++ | A+++ | CS-VE9NKE | | CU-VE9NKE | 4 207.50 лв | 5 049.00 лв |
| VE12NKE | 0,6-4 kW | 0,6-8,4 kW | A+++ | A+++ | CS-VE12NKE | | CU-VE12NKE | 4 882.50 лв | 5 859.00 лв |
| ACCESSORIES for ETHEREA and VE only | | | | | | | | | |
| CZ-RD514C | Wired R/C weekly remote controller for ETHEREA, RE, UE | | | | | | | 165.83 лв | 199.00 лв |
| PAW-SERVER-PKEA | Server room interface with dry contacts for PKEA series | | | | | | | 515.83 лв | 619.00 лв |
| PAW-AC-MBS-1 | INTERFACE TO CONNECT ETHEREA TO MODBUS | | | | | | | 557.50 лв | 669.00 лв |
| PAW-AC-KNX-1i | INTERFACE TO CONNECT ETHEREA TO KNX | | | | | | | 557.50 лв | 669.00 лв |
| PAW-AC-ENO-1I | INTERFACE TO CONNECT ETHEREA TO EN-OCEAN | | | | | | | 557.50 лв | 669.00 лв |
| PA-AC-WIFI-1 | INTERFACE WI-FI + ANDRIOD, IOS software for ETHEREA, PKEA, V | | | | | | 370.00 лв | 444.00 лв | |
| FREE MULTI outdoors | | | | | | | | | |
| CU-2E15PBE | 1,5-5,2 kW | 1,1-7 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | | 2 indoor units | 1 665.83 лв | 1 999.00 лв |
| CU-2E18PBE | 1,5-5,4 kW | 1,1-7,2 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | | 2 indoor units | 2 049.17 лв | 2 459.00 лв |
| CU-3E18PBE | 1,8-7,3 kW | 1,6-8,3 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | | 3 indoor units | 2 407.50 лв | 2 889.00 лв |
| CU-4E23PBE | 1,9-8,8 kW | 3-10,6 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | | 4 indoor units | 3 082.50 лв | 3 699.00 лв |
| CU-4E27PBE | 3-9,2 kW | 4,2-10,6 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | | 4 indoor units | 3 332.50 лв | 3 999.00 лв |
| CU-5E34PBE | 1,6-11,5 kW | 1,6-14,5 kW | A++ | A+ | Heating: -15°C; Cooling: -10°C | 5 indoor units | 4 165.83 лв | 4 999.00 лв | |

PANASONIC NEW DOMESTIC AIR TO AIR HEAT PUMP LIST PRICE (4/2014)
Bulgaria

| Models | Cooling Capacity | Heating Capacity | Energy Class | | Indoor Unit type | Picture | Outdoor Unit type | Цена в лв. без ДДС | Цена в лв. с ДДС |
|--|--|------------------|--------------|--------------|---|------------------------------------|-------------------|--------------------|------------------|
| | | | Cooling SEER | Heating SCOP | | | | | |
| ETHEREA SILVER MULTI INDOORS | | | | | | | | | |
| CS-XE7QKEW | with wireless remote controller | | | | wall type silver | | | 432.50 лв | 519.00 лв |
| CS-XE9QKEW | with wireless remote controller | | | | wall type silver | | 482.50 лв | 579.00 лв | |
| CS-XE12QKEW | with wireless remote controller | | | | wall type silver | | 557.50 лв | 669.00 лв | |
| CS-XE18QKEW | with wireless remote controller | | | | wall type silver | | 882.50 лв | 1 059.00 лв | |
| ETHEREA WHITE FREE MULTI INDOORS | | | | | | | | | |
| CS-ME5PKE | with wireless remote controller | | | | wall type white | | | 382.50 лв | 459.00 лв |
| CS-E7QKEW | with wireless remote controller | | | | wall type white | | 407.50 лв | 489.00 лв | |
| CS-E9QKEW | with wireless remote controller | | | | wall type white | | 440.83 лв | 529.00 лв | |
| CS-E12QKEW | with wireless remote controller | | | | wall type white | | 524.17 лв | 629.00 лв | |
| CS-E15QKEW | with wireless remote controller | | | | wall type white | | 749.17 лв | 899.00 лв | |
| CS-E18QKEW | with wireless remote controller | | | | wall type white | | 832.50 лв | 999.00 лв | |
| CS-E21QKEW | with wireless remote controller | | | | wall type white | 1 040.83 лв | 1 249.00 лв | | |
| FLOOR-CONSOLE MULTI INDOORS | | | | | | | | | |
| CS-E9GFEW | with wireless remote controller | | | | floor-console | | | 857.50 лв | 1 029.00 лв |
| CS-E12GFEW | with wireless remote controller | | | | floor-console | | 940.83 лв | 1 129.00 лв | |
| CS-E18GFEW | with wireless remote controller | | | | floor-console | | 1 107.50 лв | 1 329.00 лв | |
| 4 WAY CASSETTE FREE MULTI INDOORS | | | | | | | | | |
| CZ-BT20E | | | | | - | panel for 60x60 4 way cassette | | 249.17 лв | 299.00 лв |
| CS-E9PB4EA | | | | | Price without panel! | | 1 115.83 лв | 1 339.00 лв | |
| CS-E12PB4EA | | | | | Price without panel! | | 1 365.83 лв | 1 639.00 лв | |
| CS-ME18PB4EA | | | | | Price without panel! | | 1 457.50 лв | 1 749.00 лв | |
| CS-ME21PB4EA | | | | | Price without panel! | | 1 532.50 лв | 1 839.00 лв | |
| DUCTED FREE MULTI INDOORS | | | | | | | | | |
| CS-E9PD3EA | with wireless remote controller | | | | Mini Duct | | | 1 165.83 лв | 1 399.00 лв |
| CS-E12PD3EA | with wireless remote controller | | | | Mini Duct | | 1 199.17 лв | 1 439.00 лв | |
| CS-ME18PD3EA | with wireless remote controller | | | | Mini Duct | | 1 274.17 лв | 1 529.00 лв | |
| Accessories for ME FREE MULTI indoors | | | | | | | | | |
| CZ-RD52CP | Wired R/C remote controller for cassette and duct type multi indoors | | | | | | Accessories | 157.50 лв | 189.00 лв |
| CZ-RD514C | Wired R/C weekly remote controller for ETHEREA | | | | | | Accessories | 165.83 лв | 199.00 лв |
| CZ-SA11P | Antibacterial filter for "ME" series cassette type multi indoors | | | | | | Accessories | 90.83 лв | 109.00 лв |
| RE+ INVERTER MULTI OUTDOORS | | | | | | | | | |
| CU-2RE15PBE | 1,5-4,8 kW | 1,1-6,3 kW | A++ | A+ | 2x2; 2+2,6; 2+3,5; 2x2,6 kW | | 2 indoor units | 1 632.50 лв | 1 959.00 лв |
| CU-2RE18PBE | 1,5-5 kW | 1,1-6,5 kW | A++ | A+ | 2x2; 2+2,6; 2+3,5; 2x2,6; 2,6+3,5; 2x3,5 kW | | 2 indoor units | 1 890.83 лв | 2 269.00 лв |
| RE+ Inverter MULTI wall type indoors | | | | | | | | | |
| CS-MRE7PKE | | | | | wall type white | | | 449.17 лв | 539.00 лв |
| CS-MRE9PKE | | | | | wall type white | | 465.83 лв | 559.00 лв | |
| CS-MRE12PKE | | | | | wall type white | | 515.83 лв | 619.00 лв | |
| Floor/Console type inverter+ mono; Heating down to -15°C; Cooling down to +16°C | | | | | | | | | |
| E9-PFE | 0,85-3 kW | 0,85-5 kW | A++ | A | CS-E9GFEW | | CU-E9PFE | 1 999.17 лв | 2 399.00 лв |
| E12-PFE | 0,85-3,8 kW | 0,85-6 kW | A+ | A | CS-E12GFEW | | CU-E12PFE | 2 482.50 лв | 2 979.00 лв |
| E18-PFE | 0,98-5,6 kW | 0,98-7,1 kW | A++ | A | CS-E18GFEW | | CU-E18PFE | 3 140.83 лв | 3 769.00 лв |
| 4 way 60x60 cassette inverter mono; Heating down to -10°C; Cooling down to -10°C | | | | | | | | | |
| E9-PB4EA | 0,85-3,2 kW | 0,85-5,1 kW | A+ | A+ | CS-E9PB4EA | | CU-E9PB4EA | 2 207.50 лв | 2 649.00 лв |
| E12-PB4EA | 0,9-4 kW | 0,9-6,2 kW | A+ | A | CS-E12PB4EA | | CU-E12PB4EA | 2 499.17 лв | 2 999.00 лв |
| CZ-BT20E | panel for 60x60 4 way cassette | | | | | | 249.17 лв | 299.00 лв | |
| Low Static Pressure Duct type inverter mono; Heating down to -10°C; Cooling down to -10°C | | | | | | | | | |
| E9-PD3EA | 0,85-3 kW | 0,85-5 kW | A+ | A+ | CS-E9PD3EA | | CU-E9PD3EA | 2 290.83 лв | 2 749.00 лв |
| E12-PD3EA | 0,9-4,7 kW | 0,9-5,5 kW | A+ | A | CS-E12PD3EA | | CU-E12PD3EA | 2 415.83 лв | 2 899.00 лв |

PANASONIC NEW COMMERCIAL RANGE LIST PRICE (1/2014)

Bulgaria



| Models | Cooling Capacity | Heating Capacity | Pictures | Цена в лв. без ДДС | Цена в лв.с ДДС | Comment |
|--|----------------------|------------------|-------------|--------------------|------------------------------------|------------------------------------|
| ELITE PAC-I INVERTER OUTDOOR UNITS | | | | | | |
| U-250PE1E8 | 6-28 kW | 6-31,5 kW | | 7 081.88 лв | 8 498.26 лв | (3 phase) |
| U-200PE1E8 | 6-22,4 kW | 6-31,5 kW | | 6 081.97 лв | 7 298.36 лв | (3 phase) |
| U-140PE1E8A | 3,3-15,5 kW | 4,1-18 kW | | 4 462.09 лв | 5 354.51 лв | (3 phase) Available from May 2014. |
| U-140PE1E5A | 3,3-15,5 kW | 4,1-18 kW | | 4 238.99 лв | 5 086.79 лв | (1 phase) Available from May 2014. |
| U-125PE1E8A | 3,3-14 kW | 4,1-16 kW | | 3 974.19 лв | 4 769.03 лв | (3 phase) Available from May 2014. |
| U-125PE1E5A | 3,3-14 kW | 4,1-16 kW | | 3 775.48 лв | 4 530.57 лв | (1 phase) Available from May 2014. |
| U-100PE1E8A | 3,3-12,5kW | 4,1-14 kW | | 3 612.81 лв | 4 335.37 лв | (3 phase) Available from May 2014. |
| U-100PE1E5A | 3,3-12,5kW | 4,1-14 kW | | 3 432.17 лв | 4 118.60 лв | (1 phase) Available from May 2014. |
| U-71PE1E8A | 3,2-8 kW | 2,8-9 kW | | 2 890.07 лв | 3 468.09 лв | (3 phase) Available from May 2014. |
| U-71PE1E5A | 2,5-8 kW | 2-9 kW | | 2 745.57 лв | 3 294.69 лв | (1 phase) Available from May 2014. |
| U-60PE1E5A | 2,5-7,1 kW | 2-8 kW | 2 144.78 лв | 2 573.74 лв | (1 phase) Available from May 2014. | |
| U-50PE1E5 | 1,5-5,6 kW | 1,5-6,5 kW | 2 080.75 лв | 2 496.90 лв | (1 phase) | |
| STANDARD PAC-I INVERTER OUTDOOR UNITS | | | | | | |
| U-140PEY1E8 | 3,3-15,5 kW | 4,1-16 kW | | 4 712.18 лв | 5 654.62 лв | (3 phase) |
| U-125PEY1E8 | 3,8-13,5 kW | 3,4-15 kW | | 3 766.93 лв | 4 520.31 лв | (3 phase) |
| U-125PEY1E5 | 3,8-13,5 kW | 3,4-15 kW | | 3 480.87 лв | 4 177.04 лв | (1 phase) |
| U-100PEY1E8 | 2,7-11,5 kW | 2,1-13,8 kW | | 3 367.35 лв | 4 040.82 лв | (3 phase) |
| U-100PEY1E5 | 2,7-11,5 kW | 2,1-13,8 kW | | 3 107.70 лв | 3 729.24 лв | (1 phase) |
| U-71PEY1E5 | 2-7,7 kW | 1,8-8,1 kW | | 2 474.67 лв | 2 969.61 лв | (1 phase) |
| U-60PEY1E5 | 2-7 kW | 1,8-7 kW | | 2 173.96 лв | 2 608.76 лв | (1 phase) |
| PAC-I Air Handling Unit KIT | | | | | | |
| CZ-280PAH2 | 5-28 kW | 5-31,5 kW | | | | Available from April 2014. |
| PAC-I WALL TYPE INDOOR UNITS | | | | | | |
| S-100PK1E5A | 10,6 kW | 11,4 kW | | 1 306.30 лв | 1 567.56 лв | Available from July 2014. |
| S-71PK1E5A | 7,1 kW | 8 kW | | 1 062.74 лв | 1 275.29 лв | Available from June 2014 |
| S-60PK1E5A | 6 kW | 7 kW | | 1 007.62 лв | 1 209.15 лв | Available from June 2014 |
| S-50PK1E5A | 5 kW | 5,6 kW | | 963.75 лв | 1 156.51 лв | Available from June 2014 |
| S-45PK1E5A | 4,5 kW | 5,2 kW | | 945.60 лв | 1 134.73 лв | Available from June 2014 |
| S-36PK1E5A | 3,6 kW | 4,2 kW | | 930.11 лв | 1 116.14 лв | Available from June 2014 |
| PAC-I CASSETTE TYPE 60x60, 95x95 INDOOR UNITS | | | | | | |
| S-140PU1E5A | 14 kW | 16 kW | | 2 120.12 лв | 2 544.14 лв | Available from April 2014. |
| S-125PU1E5A | 12,5 kW | 14 kW | | 1 895.20 лв | 2 274.24 лв | Available from April 2014. |
| S-100PU1E5A | 10 kW | 11,2 kW | | 1 519.68 лв | 1 823.62 лв | Available from April 2014. |
| S-71PU1E5A | 7,1 kW | 8 kW | | 1 308.45 лв | 1 570.14 лв | Available from April 2014. |
| S-60PU1E5A | 6 kW | 7 kW | | 1 150.03 лв | 1 380.03 лв | Available from April 2014. |
| S-50PU1E5A | 5 kW | 5,6 kW | | 991.61 лв | 1 189.93 лв | Available from April 2014. |
| S-45PU1E5A | 4,5 kW | 5,2 kW | | 977.92 лв | 1 173.50 лв | Available from April 2014. |
| S-36PU1E5A | 3,6 kW | 4,2 kW | | 913.37 лв | 1 096.05 лв | Available from April 2014. |
| S-50PY2E5A | 5 kW | 5,6 kW | | 1 396.46 лв | 1 675.76 лв | Available from Nov 2014 |
| S-45PY2E5A | 4,5 kW | 5,2 kW | | 1 255.64 лв | 1 506.77 лв | Available from Nov 2014 |
| S-36PY2E5A | 3,6 kW | 4,2 kW | 1 175.45 лв | 1 410.54 лв | Available from Nov 2014 | |
| CZ-KPU21 | CASSETTE PANEL 95x95 | | | 391.17 лв | 469.40 лв | |
| CZ-KPY3A | CASSETTE PANEL 60x60 | | | 326.62 лв | 391.95 лв | Available from Nov 2014 |
| PAC-I MID STATIC DUCTED INDOOR UNITS | | | | | | |
| S-140PN1E5A | 14 kW | 16 kW | | 1 873.69 лв | 2 248.42 лв | Available from May 2014. |
| S-125PN1E5A | 12,5 kW | 14 kW | | 1 648.76 лв | 1 978.52 лв | Available from May 2014. |
| S-100PN1E5A | 10 kW | 11,2 kW | | 1 498.17 лв | 1 797.80 лв | Available from May 2014. |
| S-71PN1E5A | 7,1 kW | 8 kW | | 1 273.25 лв | 1 527.89 лв | Available from May 2014. |
| S-60PN1E5A | 6 kW | 7 kW | | 1 048.32 лв | 1 257.99 лв | Available from May 2014. |
| S-50PN1E5A | 5 kW | 5,6 kW | | 974.00 лв | 1 168.80 лв | Available from May 2014. |
| S-45PN1E5A | 4,5 kW | 5,2 kW | | 938.80 лв | 1 126.56 лв | Available from May 2014. |
| S-36PN1E5A | 3,6 kW | 4,2 kW | | 899.68 лв | 1 079.62 лв | Available from May 2014. |
| PAC-I HIGH STATIC DUCTED INDOOR UNITS | | | | | | |
| S-250PE1E8 | 25 kW | 28 kW | | 3 332.73 лв | 3 999.28 лв | |
| S-200PE1E8A | 20 kW | 21,8 kW | | 2 916.14 лв | 3 499.37 лв | Available from May 2014. |
| S-140PF1E5A | 14 kW | 16 kW | | 2 081.00 лв | 2 497.20 лв | Available from May 2014. |
| S-125PF1E5A | 12,5 kW | 14 kW | | 1 832.61 лв | 2 199.14 лв | Available from May 2014. |
| S-100PF1E5A | 10 kW | 11,2 kW | | 1 664.41 лв | 1 997.29 лв | Available from May 2014. |
| S-71PF1E5A | 7,1 kW | 8 kW | | 1 414.07 лв | 1 696.88 лв | Available from May 2014. |
| S-60PF1E5A | 6 kW | 7 kW | | 1 165.67 лв | 1 398.81 лв | Available from May 2014. |
| S-50PF1E5A | 5 kW | 5,6 kW | | 1 081.57 лв | 1 297.89 лв | Available from May 2014. |
| S-45PF1E5A | 4,5 kW | 5,2 kW | | 1 042.46 лв | 1 250.95 лв | Available from May 2014. |
| S-36PF1E5A | 3,6 kW | 4,2 kW | | 999.43 лв | 1 199.31 лв | Available from May 2014. |
| PAC-I CEILING INDOOR UNITS | | | | | | |
| S-140PT2E5A | 14 kW | 16 kW | | 2 143.59 лв | 2 572.31 лв | Available from May 2014. |
| S-125PT2E5A | 12,5 kW | 14 kW | | 1 959.74 лв | 2 351.69 лв | Available from May 2014. |

PANASONIC NEW COMMERCIAL RANGE LIST PRICE (1/2014)

Bulgaria



| Models | Cooling Capacity | Heating Capacity | Pictures | Цена в лв. без ДДС | Цена в лв.с ДДС | Comment |
|-------------|------------------|------------------|----------|--------------------|-----------------|--------------------------|
| S-100PT2E5A | 10 kW | 11,2 kW | | 1 781.76 лв | 2 138.11 лв | Available from May 2014. |
| S-71PT2E5A | 7,1 kW | 8 kW | | 1 515.77 лв | 1 818.92 лв | Available from May 2014. |
| S-60PT2E5A | 6 kW | 7 kW | | 1 335.83 лв | 1 603.00 лв | Available from May 2014. |
| S-50PT2E5A | 5 kW | 5,6 kW | | 1 247.82 лв | 1 497.38 лв | Available from May 2014. |
| S-45PT2E5A | 4,5 kW | 5,2 kW | | 1 212.61 лв | 1 455.14 лв | Available from May 2014. |
| S-36PT2E5A | 3,6 kW | 4,2 kW | | 1 173.50 лв | 1 408.20 лв | Available from May 2014. |

| Air Curtains | | | | | | |
|----------------|--------|--------|--|--------------|--------------|---|
| FY-10ESPNAH | - | - | | 929.02 лв | 1 114.82 лв | (900mm 780 m3/h without heating; installation height max 3m) |
| FY-10ELPNAH | - | - | | 1 056.15 лв | 1 267.38 лв | (1200mm 780 m3/h without heating; installation height max 3m) |
| PAW-10PAIRC-MJ | 9,2** | 11,9** | | 14 340.15 лв | 17 208.17 лв | (1000mm/1800m3/h; installation height max 3.5m) |
| PAW-15PAIRC-MJ | 17,5** | 17,9** | | 16 207.96 лв | 19 449.56 лв | (1500mm/2700m3/h; installation height max 3.5m) |
| PAW-20PAIRC-MJ | 23,1** | 23,9** | | 18 304.61 лв | 21 965.54 лв | (2000mm/3600m3/h; installation height max 3.5m) |
| PAW-10PAIRC-MS | 9,2** | 11,9** | | 12 564.25 лв | 15 077.10 лв | (1000mm/1800m3/h; installation height max 3m) |
| PAW-20PAIRC-MS | 17,5** | 17,9** | | 16 845.56 лв | 20 214.68 лв | (2000mm/2700m3/h; installation height max 3m) |

| Heat recovery units | | | | | | |
|---------------------|-----------------------|--|--|--------------|--------------|-----------------|
| PAW-500ZDX2 | 500 m3/h; Qc=3,7 kW* | | | 8 312.28 лв | 9 974.73 лв | with DX COIL |
| PAW-800ZDX2 | 800 m3/h; Qc=4,9 kW* | | | 9 947.35 лв | 11 936.82 лв | with DX COIL |
| PAW-01KZDX2 | 1000 m3/h; Qc=5,6 kW* | | | 10 841.17 лв | 13 009.40 лв | with DX COIL |
| FY-250ZDY8 | 250 m3/h | | | 2 280.50 лв | 2 736.60 лв | without DX COIL |
| FY-350ZDY8 | 350 m3/h | | | 2 476.08 лв | 2 971.30 лв | without DX COIL |
| FY-500ZDY8 | 500 m3/h | | | 3 150.84 лв | 3 781.01 лв | without DX COIL |
| FY-650ZDY8 | 650 m3/h | | | 3 755.19 лв | 4 506.23 лв | without DX COIL |
| FY-800ZDY8 | 800 m3/h | | | 4 349.77 лв | 5 219.72 лв | without DX COIL |
| FY-01KZDY8A | 1000 m3/h | | | 5 010.84 лв | 6 013.00 лв | without DX COIL |

* For the type of the applicable outdoor unit please check the catalogue !

** For the conditions please check the catalogue!

| ACCESSORIES* | | | | | |
|--------------|--|--|-----------|-----------|--|
| CZ-RTC2 | Wired remote controller | | 162.33 лв | 194.80 лв | |
| CZ-RTC3 | Wired remote controller | | 383.34 лв | 460.01 лв | |
| CZ-RWSU2 | Wireless remote controller 4way cassette 90x90 | | 283.60 лв | 340.31 лв | |
| CZ-RWSY2 | Wireless remote controller 4way cassette 60x60 | | 283.60 лв | 340.31 лв | |
| CZ-RWSL2 | Wireless remote controller 2way cassette | | 283.60 лв | 340.31 лв | |
| CZ-RWSC2 | Wireless remote controller for all | | 283.60 лв | 340.31 лв | |
| CZ-RWST2 | Wireless remote controller 1way cassette and ceiling | | 283.60 лв | 340.31 лв | |
| CZ-RWSK2 | Wireless remote controller wall MK1 series | | 283.60 лв | 340.31 лв | |
| CZ-RWST3 | Wireless remote controller | | | | |
| CZ-RE2C2 | Simplified remote controller | | 162.33 лв | 194.80 лв | |
| CZ-RELC2 | Backlight remote controller | | 303.15 лв | 363.78 лв | |
| CZ-CSRC2 | Backlight remote controller | | 164.29 лв | 197.15 лв | |
| ECONAVI | Sensor (presence detection and human activity) | | | | |

| Connectivity PACi indoor units | | | | | |
|--------------------------------|--|--|-----------|-----------|--|
| PAW-RC2-KNX-1i | Interface to connect PACi / ECOi indoor units to KNX | | 721.70 лв | 866.04 лв | |
| PAW-RC2-MBS-1 | Interface to connect PACi / ECOi indoor units to Modbus RTU* | | 721.70 лв | 866.04 лв | |
| PAW-RC2-ENO-1i | Interface to connect PACi / ECOi indoor units to EnOcean | | 721.70 лв | 866.04 лв | |
| PA-RC2-WIFI-1 | Interface to connect PACi / ECOi indoor units to IntesisHome | | 487.00 лв | 584.40 лв | |

| PCB's and cables for PACi indoors | | | | | |
|-----------------------------------|-----------------------------------|--|-----------|-----------|--|
| CZ-T10 | T10 connector | | 9.78 лв | 11.73 лв | |
| PAW-FDC | Operate external fan | | 27.38 лв | 32.86 лв | |
| PAW-OCT | All option monitoring signals | | 35.20 лв | 42.25 лв | |
| CZ-CAPE2 | Option monitoring signal. Wo. Fan | | 160.38 лв | 192.45 лв | |
| PAW-EXCT | Forced thermo off/leakage D. | | 58.67 лв | 70.41 лв | |
| PAW-T10 | All T10 functions | | | | |
| PAW-T10V | All T10 functions+powermonitoring | | | | |
| PAW-T10H | ON/OFF; Prohibit 5VDC & 230VAC | | | | |

PANASONIC NEW COMMERCIAL RANGE LIST PRICE (1/2014)

Bulgaria



| Models | Cooling Capacity | Heating Capacity | Pictures | Цена в лв. без ДДС | Цена в лв.с ДДС | Comment |
|---------------------------|--|------------------|----------|--------------------|-----------------|---------|
| | | | | | | |
| PAW-T10HW | ON/OFF; Prohibit 5VDC | | | | | |
| PAW-PACR3 | Redundancy of 3 systems; for ECOi and PACi | | | | | |
| PAW-ECF | Fan speed control external EC fan | | | | | |
| Distribution Joint | | | | | | |
| CZ-P155BK1 | for 2:1 connection (size 60-140) | | | 158.42 лв | 190.11 лв | |
| CZ-P280BK1 | for 2:1 connection (size 200-280) | | | 158.42 лв | 190.11 лв | |
| CZ-P3HPC2BM | for 3:1 connection (all size) | | | 342.27 лв | 410.72 лв | |

| Models | Capacity | | Energy Class | | Picture | Цена в лв. без ДДС | Цена в лв.с ДДС | | |
|---|-----------------------|-----------------------|-------------------------------------|---------------------------------------|---|---|---|--------------|-------------|
| | Heating Capacity (kW) | Cooling Capacity (kW) | COP at +7°C (heating water at 35°C) | EER at 35°C (cooling water at 7/12°C) | | | | | |
| 1 phase Standard | | | | | | | | | |
| KIT-ADC3GE5 ³ | 3.2 | 3.2 | 5 | 3.08 | | | ³ Available in second half of 2014 | | |
| KIT-ADC5GE5 ³ | 5 | 4.5 | 4.63 | 2.69 | | ³ Available in second half of 2014 | | | |
| KIT-ADC7GE5 ³ | 7 | 6 | 4.4 | 2.61 | | ³ Available in second half of 2014 | | | |
| KIT-ADC9GE5 ³ | 9 | 7 | 4.1 | 2.71 | | ³ Available in second half of 2014 | | | |
| KIT-ADC12GE5 ³ | 12 | 10 | 4.67 | 2.78 | | ³ Available in second half of 2014 | | | |
| KIT-ADC14GE5 ³ | 14 | 11.5 | 4.5 | 2.61 | | ³ Available in second half of 2014 | | | |
| KIT-ADC16GE5 ³ | 16 | 12.2 | 4.23 | 2.54 | | ³ Available in second half of 2014 | | | |
| 3 phase Standard | | | | | | | | | |
| KIT-ADC9GE8 ³ | 9 | 7 | 4.74 | 3.11 | | ³ Available in second half of 2014 | | | |
| KIT-ADC12GE8 ³ | 12 | 10 | 4.67 | 2.82 | | ³ Available in second half of 2014 | | | |
| KIT-ADC14GE8 ³ | 14 | 11.5 | 4.5 | 2.61 | | ³ Available in second half of 2014 | | | |
| KIT-ADC16GE8 ³ | 16 | 12.2 | 4.23 | 2.54 | | ³ Available in second half of 2014 | | | |
| 1 phase T-CAP* Heating capacity at -15°C! | | | | | | | | | |
| KIT-AXC9FE5 ³ | 9* | 7 | 4.74 | 3.11 | | ³ Available in second half of 2014 | | | |
| KIT-AXC12FE5 ³ | 12* | 10 | 4.67 | 2.78 | | ³ Available in second half of 2014 | | | |
| 3 phase T-CAP* Heating capacity at -15°C! | | | | | | | | | |
| KIT-AXC9FE8 ³ | 9* | 7 | 4.74 | 3.11 | ³ Available in second half of 2014 | | | | |
| KIT-AXC12FE8 ³ | 12* | 10 | 4.67 | 2.78 | ³ Available in second half of 2014 | | | | |
| KIT-AXC16FE8 ³ | 16* | 12.2 | 4.28 | 2.57 | ³ Available in second half of 2014 | | | | |
| High Performance BI-BLOC; Operating range to -20°C+35°C; water outlet max 55°C;with "A" class PANASONIC water pump | | | | | | | | | |
| 1 phase Heating only | | | | | | | | | |
| KIT-WF03C3E5 | 3.2 | - | 3.56 | - | | 4 830.90 лв | 5 797.08 лв | | |
| KIT-WF05C3E5 | 5 | - | 3.11 | - | | 5 257.27 лв | 6 308.73 лв | | |
| 1 phase Heating/Cooling | | | | | | | | | |
| KIT-WC03C3E5 | 3.2 | 3.2 | 5 | 3.08 | | 5 075.38 лв | 6 090.45 лв | | |
| KIT-WC05C3E5 | 5 | 4.5 | 4.63 | 2.69 | | 5 523.26 лв | 6 627.92 лв | | |
| KIT-WC07F3E5 ¹ | 7 | 6 | 4.4 | 2.61 | | 6 454.24 лв | 7 745.09 лв | | |
| KIT-WC09F3E5 ¹ | 9 | 7 | 4.1 | 2.71 | | 6 923.64 лв | 8 308.37 лв | | |
| KIT-WC12F6E5 ² | 12 | 10 | 4.67 | 2.78 | | 8 859.91 лв | 10 631.89 лв | | |
| KIT-WC14F6E5 ² | 14 | 11.5 | 4.5 | 2.61 | | 9 720.48 лв | 11 664.57 лв | | |
| KIT-WC16F6E5 ² | 16 | 12.2 | 4.23 | 2.54 | | 10 424.57 лв | 12 509.49 лв | | |
| 3 phase Heating/Cooling | | | | | | | | | |
| KIT-WC09F3E8 ³ | 9 | 7 | 4.74 | 3.11 | | 7 921.11 лв | 9 505.33 лв | | |
| KIT-WC12F9E8 ³ | 12 | 10 | 4.67 | 2.82 | | 9 485.78 лв | 11 382.93 лв | | |
| KIT-WC14F9E8 ³ | 14 | 11.5 | 4.5 | 2.61 | | 10 385.46 лв | 12 462.55 лв | | |
| KIT-WC16F9E8 ³ | 16 | 12.2 | 4.23 | 2.54 | | 11 128.67 лв | 13 354.41 лв | | |
| T-CAP BI-BLOC; Operating range to -20°C+35°C; water outlet max 55°C;with "A" class PANASONIC water pump | | | | | | | | | |
| 1 phase T-CAP* Heating capacity at -15°C! | | | | | | | | | |
| KIT-WXC09F3E5 | 9* | 7 | 4.74 | 3.11 | | 7 574.93 лв | 9 089.92 лв | | |
| KIT-WXC12F6E5 | 12* | 10 | 4.67 | 2.78 | | 9 704.83 лв | 11 645.79 лв | | |
| 3 phase T-CAP* Heating capacity at -15°C! | | | | | | | | | |
| KIT-WXC09F3E8 | 9* | 7 | 4.74 | 3.11 | | 8 674.11 лв | 10 408.93 лв | | |
| KIT-WXC12F9E8 | 12* | 10 | 4.67 | 2.78 | | 10 373.72 лв | 12 448.47 лв | | |
| KIT-WXC16F9E8 | 16* | 12.2 | 4.28 | 2.57 | | 14 434.03 лв | 17 320.83 лв | | |
| HT BI-BLOC; Operating range to -20°C+35°C; water outlet max 65°C;with "A" class PANASONIC water pump | | | | | | | | | |
| 1 phase | | | | | | | | | |
| KIT-WHF09F3E5 ¹ | 9 | - | 4.79 | - | | | 7 842.88 лв | 9 411.45 лв | |
| KIT-WHF12F6E5 ¹ | 12 | - | 4.29 | - | | | 10 072.52 лв | 12 087.03 лв | |
| 3 phase | | | | | | | | | |
| KIT-WHF09F3E8 ² | 9 | - | 4.55 | - | | | 9 016.38 лв | 10 819.65 лв | |
| KIT-WHF12F9E8 ² | 12 | - | 4.4 | - | | | 10 757.07 лв | 12 908.48 лв | |
| High Performance MONO-BLOC; Operating range to -20°C+35°C; water outlet max 55°C | | | | | | | | | |
| 1 phase Heating only | | | | | | | | | |
| WH-MDF06E3E5 | 6 | - | 4.48 | - | | | | 6 053.29 лв | 7 263.95 лв |
| WH-MDF09E3E5 | 9 | - | 4.15 | - | 7 232.66 лв | | | 8 679.19 лв | |
| 1 phase Heating/Cooling | | | | | | | | | |
| WH-MDC05F3E5 | 5 | 4.5 | 5.07 | 3.33 | 6 053.29 лв | | | 7 263.95 лв | |
| WH-MDC06E3E5 | 6 | 5.5 | 4.48 | 2.74 | 6 383.83 лв | | | 7 660.59 лв | |
| WH-MDC09E3E5 | 9 | 7 | 4.15 | 2.44 | 7 627.74 лв | | | 9 153.28 лв | |
| WH-MDC12C6E5 | 12 | 10 | 4.67 | 2.78 | 9 114.17 лв | | | 10 937.00 лв | |
| WH-MDC14C6E5 | 14 | 11.5 | 4.5 | 2.61 | 10 004.07 лв | | | 12 004.88 лв | |
| WH-MDC16C6E5 | 16 | 12.2 | 4.23 | 2.51 | 10 729.68 лв | | | 12 875.62 лв | |
| 3 phase Heating/Cooling | | | | | | | | | |
| WH-MDC09C3E8 | 9 | 7 | 4.74 | 3.11 | 8 134.30 лв | 9 761.16 лв | | | |

| | | | | | | |
|--------------|----|------|------|------|--------------|--------------|
| WH-MDC12C9E8 | 12 | 10 | 4.67 | 2.78 | 9 755.68 лв | 11 706.82 лв |
| WH-MDC14C9E8 | 14 | 11.5 | 4.5 | 2.61 | 10 692.52 лв | 12 831.03 лв |
| WH-MDC16C9E8 | 16 | 12 | 4.23 | 2.54 | 11 478.77 лв | 13 774.52 лв |

T-CAP* MONO-BLOC; Operating range to -20°C-+35°C; water outlet max 55°C

1 phase T-CAP* Heating capacity at -15°C!

| | | | | | | |
|--|-----|----|------|------|--------------|--------------|
| WH-MXC09D3E5 | 9* | 7 | 4.89 | 3.11 | 7 790.07 лв | 9 348.09 лв |
| WH-MXC12D6E5 | 12* | 10 | 4.73 | 2.78 | 10 029.50 лв | 12 035.40 лв |
| 3 phase T-CAP* Heating capacity at -15°C! | | | | | | |
| WH-MXC09D3E8 | 9* | 7 | 4.55 | 3.11 | 8 949.88 лв | 10 739.85 лв |
| WH-MXC12D9E8 | 12* | 10 | 4.4 | 2.78 | 10 729.68 лв | 12 875.62 лв |



HT MONO-BLOC; Operating range to -20°C-+35°C; water outlet max 65°C

| | | | | | | |
|----------------|----|---|------|---|--------------|--------------|
| 1 phase | | | | | | |
| WH-MHF09D3E5 | 9 | - | 4.55 | - | 8 046.28 лв | 9 655.54 лв |
| WH-MHF12D6E5 | 12 | - | 4.4 | - | 10 369.81 лв | 12 443.77 лв |
| 3 phase | | | | | | |
| WH-MHF09D3E8 | 9 | - | 4.55 | - | 9 280.41 лв | 11 136.50 лв |
| WH-MHF12D9E8 | 12 | - | 4.4 | - | 11 089.56 лв | 13 307.47 лв |



Aquareair Air Radiators

Fan-coils with radiant heating

| | | | | | | |
|--------------|-------|---|---|---|-------------|-------------|
| PAW-AAIR-200 | 0.57 | - | - | - | 1 504.42 лв | 1 805.31 лв |
| PAW-AAIR-700 | 1.188 | - | - | - | 1 647.59 лв | 1 977.11 лв |
| PAW-AAIR-900 | 1.703 | - | - | - | 1 791.74 лв | 2 150.08 лв |



Aquare Tanks

| | | | |
|------------------|---|------------|-------------|
| PAW-TD20B8E3-NDS | 185 (for DHW tank) / 80 (for buffer tank), Electric heater 3kW, Exchange surface 2,3 m2, 3 Way valve included, Safety thermostat with contact for failure part of E-Heating | 185 l/80 l | 4 686.36 лв |
| WH-TD20E3E5 | 200 l Stainless steel, with 3way valve, CZ-TK1, 3 kW electric heater, 1,4m2 exchange surface | 200 l | 2 398.63 лв |
| WH-TD30E3E5-1 | 300 l Stainless steel, with 3way valve, CZ-TK1, 3 kW electric heater, 1,8m2 exchange surface | 300 l | 2 877.42 лв |
| PAW-TE20E3STD | 190 l, with 3way valve, CZ-TK1, 3 kW electric heater, 1,9m2 exchange surface | 190 l | 1 824.60 лв |
| PAW-TE20E3HI | 200 l, with 3way valve, CZ-TK1, 3 kW electric heater, 2,25m2 exchange surface | 200 l | 2 093.50 лв |
| PAW-TE30E3STD | 290 l, with 3way valve, CZ-TK1, 3 kW electric heater, 2,55 m2 exchange surface | 290 l | 2 151.12 лв |
| PAW-TE30E3HI | 288 l, with 3way valve, CZ-TK1, 3 kW electric heater, 3,2m2 exchange surface | 288 l | 2 804.14 лв |
| PAW-TE50E3HI | 440 l, with 3way valve, CZ-TK1, 3 kW electric heater, 1,4m2 exchange surface | 440 l | 3 591.58 лв |
| PAW-TE20C2E3STD | 287 l, with 3way valve, CZ-TK1, 3 kW electric heater, 2,4m2 exchange surface for HP +1,1m2 for boiler or solar | 287 l | |



Accessories

Solar Kit Accessories

| | | |
|---------|---|-----------|
| CZ-NS1P | Solar connection PCB (for Bi-split type) | 140.82 лв |
| CZ-NS3P | Solar connection PCB (for Mono-Bloc 6 and 9kW type) | 140.82 лв |
| CZ-NS2P | Solar connection PCB (for Mono-Bloc) | 140.82 лв |



Sanitary Tank Accessories







| | | |
|---------|--|-----------|
| CZ-TK1 | Temperature sensor kit for third party tank (with copper pocket and 6 m length sensor cable) | 199.49 лв |
| PAW-TS1 | Sensor with 6 meter cable length | 32.86 лв |
| AW-TS2 | Sensor with 20 meter cable length | 44.59 лв |



Sanitary Tank Accessories

| | | |
|---------|---|-----------|
| CZ-NE1P | Base pan heater (for all old Bi-Block and Mono Block, not for the 3 and 5 kW) | 281.64 лв |
|---------|---|-----------|



| | | | |
|--|---|---|-------------|
| CZ-NE2P | Base pan heater (for 3 kW and 5 kW) |  | 281.64 лв |
| CZ-NE3P | Base pan heater (for all new F generation products: F3, F6, F9) |  | 281.64 лв |
| Connectivity Solutions | |  | |
| PAW-AW-KNX-1i | Interface to connect to KNX | | 4 456.95 лв |
| PAW-AW-ZIGB-1i | Interface to connect to Zig Bee | | |
| PAW-AW-MBS-1 | Interface to connect to Modbus | | 4 456.95 лв |
| PA-AW-WIFI-1 | Interface to connect to IntesisHome | | 584.40 лв |
| Aquarea Manager Kits | |  | |
| PAW-HPM12ZONE ¹ | Heat pump manager for control of 2 temperature zones, cascade system or bivalent system with roomsensor and setpoint adaption PAW- HPM1 // PAW-HPMINT-U ¹ // PAW-HPMINT-M ² // PAW- HPMB1 // PAW-HPMAH1 // PAW-HPMR4 | | 1 372.99 лв |
| PAW-HPM12ZONE ² | | | 1 372.99 лв |
| PAW-HPM12ZONE-UF3 | | | 1 398.81 лв |
| PAW-HPM12ZONE-MF3 | | | 1 398.81 лв |
| PAW-HPM12ZONELCD ¹ | Heat pump manager for control of 2 temperature zones, cascade system or bivalent system with LCD Wireless Room Thermostat, PAW- HPM1 // PAW-HPMINT-U ¹ // PAW-HPMINT-M ² // PAW- HPMB1 // PAW-HPMAH1 // PAW-A2W-RTWIRELESS | | 1 818.92 лв |
| PAW-HPM12ZONELCD ² | | | 1 818.92 лв |
| PAW-HPM12ZONELCD-UF ³ | | | 1 844.74 лв |
| PAW-HPM12ZONELCD-M ³ | | | 1 844.74 лв |
| 1 For Bi-Bloc. 2 For Mono-Bloc. 3 - F for F generation Bi-Bloc and Mono-Bloc | | | |
| Room Thermostats | |  | |
| PAW-A2W-RTWIRED | Wired LCD room thermostat with weekly timer | | 227.66 лв |
| PAW-A2W-RTWIRELESS | Wireless LCD room thermostat with weekly timer | | 537.46 лв |
| Aquarea Manager Accessories | |  | |
| PAW-HPM1 | Aquarea Manager with LCD | | 861.35 лв |
| PAW-HPM2 | Aquarea Manager without LCD | | 800.33 лв |
| PAW-HPMINT-U | Interface to connect Aquarea Manager to Heat pump Aquarea Bi-Bloc, with inverter control | | 112.66 лв |
| PAW-HPMINT-M | Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc, with inverter control | | 138.47 лв |
| PAW-HP-MINT-F | Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc and Bi-Bloc F type. | | 126.74 лв |
| PAW-HPMB1 | Buffer tank sensor | | 72.76 лв |
| PAW-HPMDHW | Buffer tank sensor with well | | 145.51 лв |
| PAW-HPMSOL1 | Buffer tank sensor solar (with higher temperature range) | | 129.08 лв |
| PAW-HPMUH | Outdoor temperature sensor | | 86.84 лв |
| PAW-HPMAH1 | Water flow sensor for heating circuit | | 105.61 лв |
| PAW-HPMR4 | Room sensor | | 119.70 лв |
| PAW-HPMED | Touch screen | | 694.71 лв |
| PAW-HPMLCD | Room thermostast with LCD (Not yet fixed) | | |
| PAW-LANCABLE | Network cable | | 21.12 лв |
| PAW-A2WSWITCH | Network switch | | 190.11 лв |
| PAW-HPM-CASE | HPM casing with Premounted cables NEW! | | 86.84 лв |
| PAW-HPMUH | Outdoor temperature sensor | | 37.55 лв |
| PAW-DEWPOINTSENSOR | Dew point sensor | | |
| Hydraulic Accessories | | | |
| PAW-2PMP2ZONE | 2 zone kit with hydraulic switch, manifold, 2 A-class pumps, one mixture valve | 2 844.56 лв | |
| PAW-FILTER | 2 check valves + filter | 312.15 лв | |
| PAW-FILTER-ONLY | Filter with 1" | 136.13 лв | |

¹ Available in April 2014

² Available in May 2014

³ Available in second half of 2014