

PANASONIC NEW AIR TO WATER RANGE LIST (April 2016)

Bulgaria



Модел	Мощност		Енергиен клас		Снимка	Модел вътрешно тяло	Модел външно тяло	Цена в лв. с ДДС	
	Мощност Отопление (kW)	Мощност Охлаждане (kW)	COP при +7°C (т. вода 35°C)	EER при 35°C (т. вода 7/12°C)					
All in One; Работен диапазон -20°C+35°C; макс. т. вода 55°C; 200L Бойлер от неръждаема стомана; серпентина 1,8m2; A клас; циркуляционна помпа PANASONIC									
1 фаза High Performance									
KIT-ADC03GE5	3,2	3,2	5	3,08		WH-ADC0309G3E5	WH-UD03EE5	9 996 лв.	
KIT-ADC05GE5	5	4,5	4,63	2,69		WH-ADC0309G3E5	WH-UD05EE5	10 231 лв.	
KIT-ADC07GE5	7	6	4,46	2,63		WH-ADC0309G3E5	WH-UD07GE5	10 630 лв.	
KIT-ADC09GE5	9	7	4,13	2,43		WH-ADC0309G3E5	WH-UD09GE5	11 075 лв.	
KIT-ADC12GE5	12	10	4,75	2,81		WH-ADC1216G6E5	WH-UD12FE5	13 141 лв.	
KIT-ADC16GE5	16	12,2	4,28	2,57		WH-ADC1216G6E5	WH-UD12FE5	14 033 лв.	
3 фази High Performance									
KIT-ADC09GE8	9	7	4,85	3,17		WH-ADC0916G9E8	WH-UD09FE8	12 953 лв.	
KIT-ADC12GE8	12	10	4,75	2,81		WH-ADC0916G9E8	WH-UD12FE8	13 915 лв.	
KIT-ADC16GE8	16	12,2	4,28	2,57		WH-ADC0916G9E8	WH-UD16FE8	14 901 лв.	
1 фаза T-CAP* Мощност при -15°C!									
KIT-AXC09FE5	9*	7	4,85	3,17			WH-ADC1216G6E5	WH-UX09FE5	12 578 лв.
KIT-AXC12FE5	12*	10	4,75	2,81			WH-ADC1216G6E5	WH-UX12FE5	14 150 лв.
3 фази T-CAP* Мощност при -15°C!									
KIT-AXC09FE8	9*	7	4,85	3,17	WH-ADC0916G9E8		WH-UX09FE8	13 868 лв.	
KIT-AXC12FE8	12*	10	4,75	2,81	WH-ADC0916G9E8		WH-UX12FE8	14 995 лв.	
KIT-AXC16FE8	16*	12,2	4,28	2,57	WH-ADC0916G9E8		WH-UX16FE8	15 558 лв.	
High Performance BI-BLOC; Работен диапазон -20°C+35°C; Темп. вода 55°C; с "A" клас циркуляционна помпа PANASONIC									
1 phase Отопление/Охлаждане									
KIT-WC07F3E5	7	6	4,46	2,63		WH-SDC07F3E5	WH-UD07FE5	7 745 лв.	
KIT-WC09F3E5	9	7	4,13	2,43		WH-SDC09F3E5	WH-UD09FE5	8 308 лв.	
KIT-WC12F6E5	12	10	4,75	2,81		WH-SDC12F6E5	WH-UD12FE5	10 632 лв.	
KIT-WC16F6E5	16	12,2	4,28	2,57		WH-SDC16F6E5	WH-UD16FE5	12 509 лв.	
3 phase Отопление/Охлаждане									
KIT-WC09F3E8	9	7	4,85	3,17		WH-SDC09F3E8	WH-UD09FE8	9 505 лв.	
KIT-WC12F9E8	12	10	4,75	2,81		WH-SDC12F9E8	WH-UD12FE8	11 383 лв.	
KIT-WC16F9E8	16	12,2	4,28	2,57		WH-SDC16F9E8	WH-UD16FE8	13 354 лв.	
T-CAP BI-BLOC; Operating range to -20°C+35°C; water outlet max 55°C; with "A" class PANASONIC water pump									
1 phase T-CAP* Heating capacity at -15°C!									
KIT-WXC09F3E5	9*	7	4,85	3,17		WH-SXC09F3E5	WH-UX09FE5	9 090 лв.	
KIT-WXC12F6E5	12*	10	4,75	2,81		WH-SXC12F6E5	WH-UX12FE5	11 646 лв.	
3 phase T-CAP* Heating capacity at -15°C!									
KIT-WXC09F3E8	9*	7	4,85	3,17		WH-SXC09F3E8	WH-UX09FE8	10 409 лв.	
KIT-WXC12F9E8	12*	10	4,75	2,81	WH-SXC12F9E8	WH-UX12FE8	12 448 лв.		
KIT-WXC16F9E8	16*	12,2	4,28	2,57	WH-SXC16F9E8	WH-UX16FE8	17 321 лв.		
HT BI-BLOC; Operating range to -20°C+35°C; water outlet max 65°C; with "A" class PANASONIC water pump									
1 phase									
KIT-WHF09F3E5	9	-	4,64	-		WH-SHF09F3E5	WH-UH09FE5	9 411 лв.	
KIT-WHF12F6E5	12	-	4,46	-		WH-SHF12F6E5	WH-UH12FE5	12 087 лв.	
3 phase									
KIT-WHF09F3E8	9	-	4,64	-		WH-SHF09F3E8	WH-UH09FE8	10 820 лв.	
KIT-WHF12F9E8	12	-	4,46	-		WH-SHF12F9E8	WH-UH12FE8	12 908 лв.	
High Performance MONO-BLOC; Operating range to -20°C+35°C; water outlet max 55°C									
1 phase Heating/Cooling									
WH-MDC05F3E5	5	4,5	5,08	3,33		-	-	7 264 лв.	
WH-MDC06G3E5	6	5,5	4,48	2,74		-	-	7 661 лв.	
WH-MDC09G3E5	9	7	4,15	2,44		-	-	9 153 лв.	
WH-MDC12G6E5	12	10	4,74	2,81		-	-	10 937 лв.	
WH-MDC16G6E5	16	12,2	4,28	2,57		-	-	12 876 лв.	
T-CAP* MONO-BLOC; Operating range to -20°C+35°C; water outlet max 55°C									
1 phase T-CAP* Heating capacity at -15°C!									
WH-MXC09G3E5	9*	7	4,84	3,17		-	-	9 348 лв.	
WH-MXC12G6E5	12*	10	4,74	2,81		-	-	12 035 лв.	
3 phase T-CAP* Heating capacity at -15°C!									
WH-MXC09G3E8	9*	7	4,84	3,17		-	-	10 740 лв.	
WH-MXC12G9E8	12*	10	4,74	2,81		-	-	12 876 лв.	

HT MONO-BLOC; Operating range to -20°C/+35°C; water outlet max 65°C					
1 phase					
WH-MHF09G3E5	9	-	4,55	-	9 656 лв.
WH-MHF12G6E5	12	-	4,4	-	12 444 лв.
3 phase					
WH-MHF09G3E8	9	-	4,55	-	11 136 лв.
WH-MHF12G9E8	12	-	4,4	-	13 307 лв.
Aquareair Air Radiators					
Fan-coils with radiant heating					
PAW-AAIR-200	0,57				1 831 лв.
PAW-AAIR-200L	0,57	without radiant heating			1 502 лв.
PAW-AAIR-700	1,188				2 007 лв.
PAW-AAIR-700L	1,188	without radiant heating			1 561 лв.
PAW-AAIR-900	1,703				2 183 лв.
PAW-AAIR-900L	1,703	without radiant heating			1 725 лв.
Aquare Tanks					
PAW-TD20B8E3-NDS	185 (for DHW tank) / 80 (for buffer tank), Electric heater 3kW, Exchange surface 2,3 m2, 3 Way valve included, Safety thermostat with contact for failure part of E-Heating		185 l/80 l	Mono-bloc heat pump + PAWTD20B8E3-NDS	
WH-TD20E3E5	200 l Stainless steel, with 3way valve, CZ-TK1,3 kW electric heater, 1,4m2 exchange surface		200 l	AQUAREA TANK	
WH-TD30E3E5-1	300 l Stainless steel, with 3way valve, CZ-TK1,3 kW electric heater, 1,8m2 exchange surface		300 l	Diagram of a heating system showing a heat pump connected to a tank and radiators.	
PAW-TG20C1E3STD	185 l, with 3way valve, CZ-TK1,3 kW electric heater, 2 m2 exchange surface		185 l	2 316 лв.	
PAW-TG20C1E3HI	190 l, with 3way valve, CZ-TK1,3 kW electric heater, 2,3 m2 exchange surface		190 l	2 660 лв.	
PAW-TG30C1E3STD	285 l, with 3way valve, CZ-TK1,3 kW electric heater, 2,5 m2 exchange surface		285 l	2 730 лв.	
PAW-TG30C1E3HI	290 l, with 3way valve, CZ-TK1,3 kW electric heater, 3,4m2 exchange surface		290 l	3 560 лв.	
PAW-TG40C1E3STD	410 l, with 3way valve, CZ-TK1,3 kW electric heater, 6,1m2 exchange surface		410 l	4 561 лв.	
PAW-TG30C2E3ESTD	290 l, with 3way valve, CZ-TK1,3 kW electric heater, 2,4m2 exchange surface for HP +1 m2 for boiler or solar		290 l	3 675 лв.	
PAW-BTANK50L	50 l buffer tank		50 l	446 лв.	

AQUAREA DHW Heat Pump Water Heaters				
PAW-DHWM80ZNT	COP DHW (A7 / W10-55) EN 16147: 2,65 ; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	80 L	   	2 157 лв.
PAW-DHWM100ZNT	COP DHW (A7 / W10-55) EN 16147: 2,63 ; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	100 L		2 251 лв.
PAW-DHWM120ZNT	COP DHW (A7 / W10-55) EN 16147: 2,61 ; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	120 L		2 462 лв.
PAW-DHWM200A	COP DHW (A7 / W10-55) EN 16147: 3,00; Dimensions of air ducts: Ø 160/10	208 L		3 166 лв.
PAW-DHWM300A	COP DHW (A7 / W10-55) EN 16 147: 3,33 Dimensions of air ducts: Ø 160/10	295 L		3 377 лв.
PAW-DHWM300AE	COP DHW (A7 / W10-55) EN 16147: 3,33; Dimensions of air ducts: Ø 160/10	276 L		3 589 лв.
Акcesoари				
Solar Kit Accessories				
CZ-NS1P	Solar connection PCB (for Bi-split type)		141 лв.	
CZ-NS3P	Solar connection PCB (for Mono-Bloc 6 and 9kW type)		141 лв.	
CZ-NS2P	Solar connection PCB (for Mono-Bloc)		141 лв.	
Sanitary Tank Accessories				
CZ-TK1	Temperature sensor kit for third party tank (with copper pocket and 6 m length sensor cable)		199 лв.	
PAW-TS1	Sensor with 6 meter cable length		33 лв.	
PAW-TS2	Tank sensor with 20 meter cable length		47 лв.	
PAW-TS4	Tank sensor with 6 meter cable length and only 6 mm diameter		33 лв.	
Sanitary Tank Accessories				
CZ-NE1P	Base pan heater (for all old Bi-Block and Mono Block, not for the 3 and 5 kW)		282 лв.	
CZ-NE2P	Base pan heater (for 3 kW and 5 kW)		282 лв.	
CZ-NE3P	Base pan heater (for all new F generation products: F3, F6, F9)		282 лв.	
Акcesoари				
Accessories for Aquarea				
CZ-UG30	Outdoor Noise reduction Kit, 2-3dB(A) noise reduction		444 лв.	
PAW-ADC-PREKIT	Flexible pipings and wall mounting plate for All in one		775 лв.	
PAW-ADC-CV150	Decorative magnetic side cover for All in one		209 лв.	
Accessories for Aquarea Air				
PAW-AAIR-LEGS-1	Kits of 2 legs to support the Aquarea Air on the floor and to protect the water pipings		141 лв.	

Accessories for Aquarea DHW			
PAW-DHWE2C	2 kW optional electrical heater for floor standing		514 лв.
PAW-DHWE3C	3 kW optional electrical heater for floor standing		561 лв.
Special outdoor supports			
PAW-GRDBSE20	Outdoor base ground support for noise and vibration absorption (600 x 95 x 130, 500 kg)		376 лв.
PAW-WTRAY	Tray for condenser water compatible with base ground support		514 лв.
PAW-GRDSTD40	Outdoor elevation platform		326 лв.
Connectivity Solutions			
PAW-AW-KNX-1i	Interface to connect to KNX		763 лв.
PAW-AW-MBS-1	Interface to connect to Modbus		763 лв.
PA-AW-WIFI-1TE	WIFI + Wired room temperature sensor to display the temperature of a room		692 лв.
PAW-A2W-BIV	Bivalence Manager for A2W		725 лв.
PA-AW-WIFI-1	Interface to connect to IntesisHome		584 лв.
Room Thermostats			
PAW-A2W-RTWIRED	Wired LCD room thermostat with weekly timer		228 лв.
PAW-A2W-RTWIRELESS	Wireless LCD room thermostat with weekly timer		537 лв.
Aquarea Manager Accessories			
PAW-HPM1	Aquarea Manager with LCD		861 лв.
PAW-HPM2	Aquarea Manager without LCD		800 лв.
PAW-HPMINT-U	Interface to connect Aquarea Manager to Heat pump Aquarea Bi-Bloc, with inverter control		113 лв.
PAW-HPMINT-M	Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc, with inverter control		138 лв.
PAW-HPMINT-F	Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc and Bi-Bloc F type.		127 лв.
PAW-HPMB1	Buffer tank sensor		73 лв.
PAW-HPMDHW	Buffer tank sensor with well		146 лв.
PAW-HPMSOL1	Buffer tank sensor solar (with higher temp. range)		129 лв.
PAW-HPMUH	Outdoor temperature sensor		87 лв.
PAW-HPMAH1	Water flow sensor for heating circuit		106 лв.
PAW-HPMR4	Room sensor		120 лв.
PAW-HPMED	Touch screen		695 лв.
PAW-LANCABLE	Network cable		21 лв.
PAW-A2WSWITCH	Network switch		190 лв.
PAW-HPMUH	Outdoor temperature sensor		87 лв.
PAW-A2W-TSOD	Outdoor sensor for H Generation	89 лв.	
PAW-A2W-TSHC	Zone Water Sensor for H Generation	89 лв.	
PAW-A2W-TSRT	Zone Room Sensor for H generation	89 лв.	
PAW-A2W-TSSO	Solar Sensor for H Generatoin	89 лв.	
PAW-A2W-TSBU	Buffer Tank Sensor for H Generation	59 лв.	
CZ-NS4P	PCB for H generation A2W (swimming pool, solar)	439 лв.	
PAW-DEWPOINTSENSOR	Dew point sensor	35 лв.	
Hydraulic Accessories			
CZ-NV1	3 way valve for H generation (inside hydrobox, mainly PDE)		702 лв.
PAW-FLWMTR-KIT	Flowmeter		514 лв.
PAW-2PMP2ZONE	2 zone kit with hydraulic switch, manifold, 2 A-class pumps, one mixture valve		2 845 лв.
PAW-FILTER	2 check valves + filter		312 лв.
PAW-A2WFILTERFLOW	Filter and water flow meter		
PAW-FILTER-ONLY	Filter with 1"		136 лв.