

**PANASONIC ценова листа термopомпи въздух-вода (2017)**

България



Модел	Мощност		Енергиен клас		Снимка	Вътрешно тяло	Външно тяло	Цена в лв. с ДДС	Забележка
	Охлаждане	Отопление	EER при 35°C; 55°C и 55°C БГВ	COP при 35°C и 55°C					

All in One ; Работен диапазон -20°C+35°C; макс. Темп. вода 55°C; 200L Бойлер от неръждаема стомана; серпентина; с "A"клас циркуляционна помпа PANASONIC

**Еднофазни, Висока ефективност**

KIT-ADC03HE5	3,2	3,2	A++/A++/A	A+++/A++
KIT-ADC03HE5B	3,2	3,2	A++/A++/A	A+++/A++
KIT-ADC05HE5	5	4,5	A++/A++/A	A+++/A++
KIT-ADC05HE5B	5	4,5	A++/A++/A	A+++/A++
KIT-ADC07HE5	7	6	A++/A++/A	A+++/A++
KIT-ADC07HE5B	7	6	A++/A++/A	A+++/A++
KIT-ADC09HE5	9	7	A++/A++/A	A+++/A++
KIT-ADC09HE5B	9	7	A++/A++/A	A+++/A++
KIT-ADC12HE5	12	10	A++/A++/A	A+++/A++
KIT-ADC16HE5	16	12,2	A++/A++/A	A+++/A++



WH-ADC0309H3E5	WH-UD03HE5-1	9 996 лв	
WH-ADC0309H3E5B	WH-UD03HE5-1	Попитай	Вграден 2-зонов хидро к-т
WH-ADC0309H3E5	WH-UD05HE5-1	10 231 лв	
WH-ADC0309H3E5B	WH-UD05HE5-1	Попитай	Вграден 2-зонов хидро к-т
WH-ADC0309H3E5	WH-UD07HE5-1	10 630 лв	
WH-ADC0309H3E5B	WH-UD07HE5-1	Попитай	Вграден 2-зонов хидро к-т
WH-ADC0309H3E5	WH-UD09HE5-1	11 075 лв	
WH-ADC0309H3E5B	WH-UD09HE5-1	Попитай	Вграден 2-зонов хидро к-т
WH-ADC1216H6E5	WH-UD12HE5	13 141 лв	Налично от август 2017
WH-ADC1216H6E5	WH-UD16HE5	14 033 лв	Налично от август 2018

**Трифазни, Висока ефективност**

KIT-ADC09HE8	9	7	A++/A++/A	A+++/A++
KIT-ADC12HE8	12	10	A++/A++/A	A+++/A++
KIT-ADC16HE8	16	12,2	A++/A++/A	A+++/A++

WH-ADC0916H9E8	WH-UD09HE8	13 610 лв	
WH-ADC0916H9E8	WH-UD12HE8	14 080 лв	
WH-ADC0916H9E8	WH-UD16HE8	17 905 лв	

**Еднофазни T-CAP\* Гарантирано отопление при -15°C!**

KIT-AXC09HE5	9*	7	A++/A++/A	A+++/A++
KIT-AXC12HE5	12*	10	A++/A++/A	A+++/A++

WH-ADC1216H6E5	WH-UX09HE5	12 578 лв	Налично от юли 2017
WH-ADC1216H6E5	WH-UX12HE5	14 150 лв	Налично от юли 2017

**Трифазни T-CAP\* Гарантирано отопление при -15°C!**

KIT-AXC09HE8	9*	7	A++/A++/A	A+++/A++
KIT-AXC12HE8	12*	10	A++/A++/A	A+++/A++
KIT-AXC16HE8	16*	12,2	A++/A++/A	A+++/A++
PAW-AQVENT-H	heat recovery unit for H generation All in One			

WH-ADC0916H9E8	WH-UX09HE8	14 549 лв	
WH-ADC0916H9E8	WH-UX12HE8	14 995 лв	
WH-ADC0916H9E8	WH-UX16FE8	17 905 лв	

**High Performance сплит; Работен обхват -28°C.+35°C; температура на водата 60°C; с "A" клас циркуляционна помпа PANASONIC**

**Еднофазни; За отопление и охлаждане**

KIT-WC03H3E5	3,2	3,2	A++/A++	A+++/A++
KIT-WC05H3E5	5	4,5	A++/A++	A+++/A++
KIT-WC07H3E5	7	6	A++/A++	A+++/A++
KIT-WC09H3E5	9	7	A++/A++	A+++/A++
KIT-WC12H6E5	12	10	A++/A++	A+++/A++
KIT-WC16H6E5	16	12,2	A++/A++	A+++/A++



WH-SDC03H3E5	WH-UD03HE5	6 274 лв	
WH-SDC05H3E5	WH-UD05HE5	6 827 лв	
WH-SDC07H3E5	WH-UD07HE5	7 745 лв	
WH-SDC09H3E5	WH-UD09HE5	8 308 лв	
WH-SDC12H6E5	WH-UD12HE5	10 632 лв	Налично от май 2017
WH-SDC16H6E5	WH-UD16HE5	12 509 лв	Налично от май 2017

**Трифазни; За отопление и охлаждане**

KIT-WC09H3E8	9	7	A++/A++	A+++/A++
KIT-WC12H9E8	12	10	A++/A++	A+++/A++
KIT-WC16H9E8	16	12,2	A++/A++	A+++/A++

WH-SDC09H3E8	WH-UD09HE8	9 505 лв	
WH-SDC12H9E8	WH-UD12HE8	11 383 лв	
WH-SDC16H9E8	WH-UD16HE8	13 354 лв	

**T-CAP сплит; Работен обхват -28°C.+35°C; температура на водата 60°C; с "A" клас циркуляционна помпа PANASONIC и филтър**

**Еднофазни T-CAP\* Гарантирано отопление при -15°C!**

KIT-WXC09H3E5	9*	7	A++	A++
KIT-WXC12H6E5	12*	10	A++	A++



WH-SXC09H3E5	WH-UX09HE5	9 090 лв	
WH-SXC12H6E5	WH-UX12HE5	11 646 лв	

**Трифазни T-CAP\* Гарантирано отопление при -15°C!**

KIT-WXC09H3E8	9*	7	A++	A++
KIT-WQC09H3E8	9*	7	A++	A++
KIT-WXC12H9E8	12*	10	A++	A++
KIT-WQC12H9E8	12*	10	A++	A++
KIT-WXC16H9E8	16*	12,2	A++	A++
KIT-WQC16H9E8	16*	12,2	A++	A++

WH-SXC09H3E8	WH-UX09HE8	10 409 лв	
WH-SQC09H3E8	WH-UQ09HE8	Попитай	
WH-SXC12H9E8	WH-UX12HE8	12 448 лв	
WH-SQC12H9E8	WH-UQ12HE8	Попитай	
WH-SXC16H9E8	WH-UX16HE8	17 321 лв	
WH-SQC16H9E8	WH-UQ16HE8	Попитай	

**Високотемпературен сплит; Работен обхват -20°C.+35°C; температура на водата 65°C; с "A" клас циркуляционна помпа PANASONIC**

**Еднофазни**

KIT-WHF09F3E5	9	-	A++	A++
KIT-WHF12F6E5	12	-	A++	A++









WH-SHF09F3E5	WH-UH09FE5	9 411 лв	
WH-SHF12F6E5	WH-UH12FE5	12 087 лв	

**Трифазни**



KIT-WHF09F3E8	9	-	A++	A++
KIT-WHF12F9E8	12	-	A++	A++

WH-SHF09F3E8	WH-UH09FE8	10 820 лв	
WH-SHF12F9E8	WH-UH12FE8	12 908 лв	

High Performance моноблок; Работен обхват -20°C-+35°C; температура на водата 55°C							
<b>Еднофазни; За отопление и охлаждане</b>					7 264 лв		
WH-MDC05F3E5	5	4,5			A++	A++	Попитай Налично от октомври 2017
WH-MDC05H3E5	5	4,5			A++	A++	7 661 лв
WH-MDC06G3E5	6	5,5			A++	A++	Попитай Налично от октомври 2017
WH-MDC07H3E5	6	5,5			A++	A++	9 153 лв
WH-MDC09G3E5	9	7			A++	A++	Попитай Налично от октомври 2017
WH-MDC09H3E5	9	7			A++	A++	10 937 лв
WH-MDC12G6E5	12	10			A++	A++	12 876 лв
WH-MDC16G6E5	16	12,2	A++	A++			
T-CAP* моноблок; Работен обхват -20°C-+35°C; температура на водата 55°C							
<b>Еднофазни T-CAP* Гарантирано отопление при -15°C!</b>					9 348 лв		
WH-MXC09G3E5	9*	7			A++	A++	12 035 лв
WH-MXC12G6E5	12*	10			A++	A++	
<b>Трифазни T-CAP* Гарантирано отопление при -15°C!</b>							10 740 лв
WH-MXC09G3E8	9*	7	A++	A++			12 876 лв
WH-MXC12G9E8	12*	10	A++	A++			15 018 лв
WH-MXC16G9E8	16*	12,2	A++	A++			
Високотемпературен моноблок; Работен обхват -20°C-+35°C; температура на водата 65°C							
<b>Еднофазни</b>					9 656 лв		
WH-MHF09G3E5	9	-					12 444 лв
WH-MHF12G6E5	12	-					
<b>Трифазни</b>							11 136 лв
WH-MHF09G3E8	9	-					13 307 лв
WH-MHF12G9E8	12	-					
Аquaarea радиатори							
<b>Радиатори с лъчисто отопление</b>					1 831 лв		
PAW-AAIR-200-1	0,57						2 007 лв
PAW-AAIR-700-1	1,188						2 183 лв
PAW-AAIR-900-1	1,703						
Аquaarea бойлери за гореща вода							
PAW-TD20B8E3-NDS	185 (for DHW tank) / 80 (for buffer tank), Electric heater 3kW, Exchange surface 2,3 m2, 3 Way valve included, Safety thermostat with contact for failure part of E-Heating	185 l/80 l	 <p style="text-align: center;"><b>AQUAREA TANK</b></p>		4 686 лв		
WH-TD20C1E5	192 l Stainless steel, CZ-TK1,3 kW electric heater, 1,8m2 exchange surface. <b>TANK WITHOUT 3WAY VALVE!</b>	200 l			2 399 лв		
WH-TD30C1E5	280 l Stainless steel, CZ-TK1,3 kW electric heater, 1,8m2 exchange surface. <b>TANK WITHOUT 3WAY VALVE!</b>	300 l			2 877 лв		
PAW-TG15C1EZ	150 l, CZ-TK1,3 kW electric heater, 1,4 m2 exchange surface. <b>TANK WITHOUT 3WAY VALVE!</b>	150 l			Попитай		
PAW-TG20C1E3STD-1	185 l, CZ-TK1,3 kW electric heater, 2 m2 exchange surface. <b>TANK WITHOUT 3WAY VALVE!</b>	185 l			2 316 лв		
PAW-TG30C1E3STD-1	285 l, CZ-TK1,3 kW electric heater, 2,5 m2 exchange surface. <b>TANK WITHOUT 3WAY VALVE!</b>	285 l			2 730 лв		
					 <p style="text-align: center;">Mono-bloc heat pump + PAWTD20B8E3-NDS tank</p>		



PAW-TG30C1E3HI	290 l, with 3way valve,CZ-TK1,3 kW electric heater, 3,4m2 exchange surface	290 l		3 560 лв	
PAW-TG40C1E3STD-1	396 l,CZ-TK1,3 kW electric heater, 6,1m2 exchange surface <b>TANK WITHOUT 3WAY VALVE!</b>	410 l		4 560 лв	
PAW-TG30C2E3STD-1	284 l, CZ-TK1,3 kW electric heater, 2,4m2 exchange surface for HP +1 m2 for boiler or solar <b>TANK WITHOUT 3WAY VALVE!</b>	290 l		3 675 лв	
PAW-3WYVLV-SI	3 WAY VALVE ACCESSORY			258 лв	
PAW-BTANK50L	50 l buffer tank	50 l		446 лв	

**Термодинамични бойлери**

PAW-DHWM80ZNT	COP DHW (A7 / W10-55) EN 16147: 2,65; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	80 L		2 157 лв	
PAW-DHWM100ZNT	COP DHW (A7 / W10-55) EN 16147: 2,63; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	100 L		2 251 лв	
PAW-DHWM120ZNT	COP DHW (A7 / W10-55) EN 16147: 2,61; Electric heater: 2x1kW Dimensions of air ducts: Ø125 (150x70) /10	120 L		2 462 лв	
PAW-DHWM200A	COP DHW (A7 / W10-55) EN 16147: 3,00; Dimensions of air ducts: Ø 160/10	208 L		3 166 лв	
PAW-DHWM300A	COP DHW (A7 / W10-55) EN 16 147: 3,33 Dimensions of air ducts: Ø 160/10	295 L		3 377 лв	
PAW-DHWM300AE	COP DHW (A7 / W10-55) EN 16147: 3,33; Dimensions of air ducts: Ø 160/10	276 L		3 589 лв	

**Акcesoари**

**Акcesoари за солари**

CZ-NS3P	Solar connection PCB (for Mono-Bloc 6 and 9kW type)		141 лв		
CZ-NS2P	Solar connection PCB (for Mono-Bloc)		141 лв		
<b>Акcesoари за бойлери</b>					
CZ-TK1	Temperature sensor kit for third party tank (with copper pocket and 6 m length sensor cable)		199 лв		
PAW-TS1	Sensor with 6 meter cable length		33 лв		
PAW-TS2	Tank sensor with 20 meter cable length	47 лв			
PAW-TS4	Tank sensor with 6 meter cable length and only 6 mm diameter	33 лв			
<b>Акcesoари за бойлери</b>					
CZ-NE1P	Base pan heater (for all old Bi-Block and Mono Block, not for the 3 and 5 kW)		287 лв		
CZ-NE2P	Base pan heater (for 3 kW and 5 kW)		287 лв		
CZ-NE3P	Base pan heater (for all new F generation products: F3, F6, F9)		287 лв		

Акcesoари				
<b>Акcesoари за Aquarea</b>				
CZ-UG30	Outdoor Noise reduction Kit, 2-3dB(A) noise reduction		444 лв	
PAW-ADC-PREKIT	Flexible pipings and wall mounting plate for All in one		775 лв	
PAW-ADC-CV150	Decorative magnetic side cover for All in one		209 лв	
<b>Акcesoари за Aquarea Air</b>				
PAW-AAIR-LEGS-1	Kits of 2 legs to support the Aquarea Air on the floor and to protect the water pipings		141 лв	
<b>Акcesoари за Aquarea DHW</b>				
PAW-DHWE2C	2 kW optional electrical heater for floor standing		514 лв	
PAW-DHWE3C	3 kW optional electrical heater for floor standing		561 лв	
<b>Special outdoor supports</b>				
PAW-GRDBSE20	Outdoor base ground support for noise and vibration absorption (600 x 95 x 130, 500 kg)		376 лв	
PAW-WTRAY	Tray for condenser water compatible with base ground support		514 лв	
PAW-GRDSTD40	Outdoor elevation platform		326 лв	
<b>Решения за свързване</b>				
CZ-TAW1	WIFI interface H generation - Panasonic cloud solution		467 лв	
PAW-AW-KNX-H	Interface to connect to KNX		763 лв	
PAW-AW-KNX-1i	Interface to connect to KNX		763 лв	
PAW-AW-MBS-H	Interface to connect to Modbus		763 лв	
PAW-AW-MBS-1	Interface to connect to Modbus		763 лв	
PA-AW-WIFI-1TE	WIFI + Wired room temperature sensor to display the temperature of a room		692 лв	
PAW-A2W-BIV	Bivalence Manager for A2W		725 лв	
PA-AW-WIFI-1	Interface to connect to IntesisHome	587 лв		
<b>Стайни термостати</b>				
PAW-A2W-RTWIRED	Wired LCD room thermostat with weekly timer		228 лв	
PAW-A2W-RTWIRELESS	Wireless LCD room thermostat with weekly timer		537 лв	
<b>Aquarea Manager акcesoари</b>				
PAW-HPM1	Aquarea Manager with LCD		861 лв	
PAW-HPM2	Aquarea Manager without LCD		800 лв	
PAW-HPMINT-U	Interface to connect Aquarea Manager to Heat pump Aquarea Bi-Bloc, with inverter control		113 лв	
PAW-HPMINT-M	Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc, with inverter control		138 лв	
PAW-HP-MINT-F	Interface to connect Aquarea Manager to Heat pump Aquarea Mono-Bloc and Bi-Bloc F type.		127 лв	
PAW-HPMB1	Buffer tank sensor		73 лв	
PAW-HPMDHW	Buffer tank sensor with well		146 лв	
PAW-HPMSOL1	Buffer tank sensor solar (with higher temperature range)		129 лв	
PAW-HPMUH	Outdoor temperature sensor		87 лв	
PAW-HPMAH1	Water flow sensor for heating circuit		106 лв	
PAW-HPMR4	Room sensor		120 лв	
PAW-HPMED	Touch screen		695 лв	
PAW-LANCABLE	Network cable		21 лв	
PAW-A2WSWITCH	Network switch		190 лв	
PAW-A2W-TSOD	Outdoor sensor for H Generation		89 лв	
PAW-A2W-TSHC	Zone Water Sensor for H Generation	89 лв		
PAW-A2W-TSRT	Zone Room Sensor for H generation	89 лв		
PAW-A2W-TSSO	Solar Sensor for H Generatoin	89 лв		
PAW-A2W-TSBU	Buffer Tank Sensor for H Generation	59 лв		
CZ-NS4P	PCB for H generation A2W (swimming pool, solar, 2 zone fucntion)	439 лв		
PAW-DEWPOINTSENSOR	Dew point sensor	35 лв		
<b>Хидравлични Акcesoари</b>				
CZ-NV1	3 way valve for H generation (inside hydrobox, mainly PDE)		702 лв	
PAW-FLWMTR-KIT	Flowmeter		514 лв	
PAW-2PMP2ZONE	2 zone kit with hydraulic switch, manifold, 2 A-class pumps, one mixture valve		2 845 лв	
PAW-FILTER	2 check valves + filter		312 лв	
PAW-FILTER-ONLY	Filter with 1"		136 лв	